

d-Copia 3524MF/3524MFPlus 4023MF/4024MF/4024MFPlus

A high	perfo	rmanc	e
			e small
office			

The new multifunctional monochrome A4 systems are designed with the needs of small workgroups in mind. Five models are available in this range giving users a choice depending upon their exact requirements:

The **d-Copia 3524MF** is a reliable printer, copier, scanner and fax, providing speeds of up to 35 ppm and resolution of 1200 dpi. It's compact and silent so great for personal use too.

The **d-Copia 3524MF Plus**, features integrated Wi-Fi and a 4.3" colour Touchscreen.

The **d-Copia 4023MF** (without fax) and **d-Copia 4024MF** are ideal for heavier duty volumes with print speeds of up to 40 ppm, a fast warm-up time and time to first copy. It also provides a dual scanner and large toner capacity of up to 7,200 pages.

The **d-Copia 4024MF Plus** provides access to Wi-Fi and a JaWS platform which enables complex demands and professional workflows to be achieved easily.

Mono Multifunctional Digita	al Systems
QUALITY	
COLOUR TOUCH SCREEN *	
DUAL-SCAN **	F
ECO-FRIENDLY	6
NETWORKING	品
MOBILITY	
WI-FI AND WI-FI DIRECT *	?

- * d-Copia 3524MF^{Plus} and 4024MF^{Plus} only
- ** d-Copia 4023MF, 4024MF and 4024MF^{Plus} only



UP TO 35 AND 40 PPM - A4 - MONO

RAM 512 MB; UP TO 1,536 MB

RESOLUTION 1,200 X 1,200 DPI

PAPER CAPACITY UP TO 850 SHEETS WITH TWO OPTIONAL TRAYS

COMPACT DESIGN AND SILENT OPERATION

DUAL-SCANNER FOR 40 PPM MODELS

4.3" TOUCH-SCREEN AND WIRELESS INTERFACE FOR PLUS MODELS

EXCLUSIVE LONG-LIFE COMPONENTS







Dual-scan Document Feeder

Two optional Additional Trays

4023MF/4024MF/4024MFPlus

EFFICIENCY AND CONFIDENTIALITY

All models are equipped with a powerful 800 MHz **controller** able to handle different jobs concurrently without sacrificing speed.

Scanned files can be stored on USB memory devices or sent to email contacts (scan to e-mail), server folders (scan to FTP) or shared folders on PCs (scan to SMB) so can respond quickly to company demands, resulting in improved productivity and the reduction of unnecessary printing.

The number of formats supported is extensive and large quantities of data can be transferred with the aid of high-level data compression function; while PDF encryption helps to protect confidentiality.

PRODUCTIVITY AND ENVIRONMENTAL RESPECT

The touch-screen* operator panel provides intuitive, direct access to all functions, while the JaWS** **software development platform** (for which memory expansion and SD card are required) allows document flows to be customised, improving productivity and efficiency in the modern office.

Reduced energy consumption, particularly in Sleep mode, long-life components, eco-compatible parts, reduced packaging, pre-installed toner and the use of recycled materials all contribute towards making these systems considerate to the environment.

SPEED AND QUALITY

The high-resolution of 1,200 x 1,200 dpi produces images and graphics that are sharp and precise; which is a major advantage when printing drawings and sketches in small scale.

The **Dual-scan Automatic Document Feeder** performs as a single pass operation, so reduces time, increases productivity and reduces the risk of damage to the original. Fewer mechanical movements also mean less wear over time, allowing greater flexibility in the types of paper that can be used.

Wi-Fi AND MOBILE PRINTING

The d-Copia 3524MFPlus and d-Copia 4024MFPlus have integrated Wi-Fi allowing connection to wireless devices via an access point and Wi-Fi Direct allows direct connection with up to three devices simultaneously.

For all models in this 5-product range, direct (wireless) printing is possible from a mobile device, when connected to the local Wi-Fi network, and directly (when supported by Wi-Fi Direct) from the Olivetti Mobile Print app, compatible with Android, iOS or iOS devices using the AirPrint protocol without the need to install further software.

^{*} d-Copia 3524MFPlus and d-Copia 4024MFPlus only

^{**} d-Copia 4024MFPlus only



4.3" Colour Touch-screen for Plus models



Intuitive, easy-to-use LCD operator panel



Wi-Fi and Wi-Fi Direct

TECHNICAL SPECIFICATION:	d-Copia 3524MF	d-Copia 3524MFPLUS	d-Copia 4023MF	d-Copia 4024MF	d-Copia 4024MFPLU
GENERAL					
ype	MFP 4 IN 1	MFP 4 IN 1	MFP 3 IN 1	MFP 4 IN 1	MFP 4 IN 1
echnology	Laser Mono	1-11 - 1 - 11 - 1	1411 3 114 1	1011 1111 2	1911 4 114 2
mbedded Software Platform	N/A	N/A	N/A	N/A	JaWS
peed	Up to 35 ppm	Up to 35 ppm	Up to 40 ppm	Up to 40 ppm	Up to 40 ppm
rocessor	800 MHz	ор то ээ рртт	ор то чо ррпп	Ор то чоррии	ор то чо ррпп
esolution	300 dpi, 600 dpi, 1,200) dni			
ontrol Panel	5 Line LCD	4.3" Colour Touch-screen	5 Line LCD	5 Line LCD	4.3" Colour Touch-scre
Varm-up Time	17 secs or less	20 secs or less	17 secs or less	17 secs or less	20 secs or less
	6.9 secs or less	6.9 secs or less	6.4 secs or less	6.4 secs or less	6.4 secs or less
ime to First Print-out/Copy lemory	Std. 512 MB, Max 1,530		0.4 secs of tess	0.4 secs or less	0.4 secs or less
IPUT PAPER HANDLING	Sta. 512 MB, Max 1,530	DIMID			
ulti-purpose Bypass Tray	100 sharts 60 220 s	/m² A/ AE AC BE BC Latter Lan	al Custom (70 × 1/ 8 mm - 316	v 3E6)	
		/m², A4,A5,A6,B5,B6, Letter, Leg			
niversal Tray		m² , A4,A5,A6,B5,Letter, Legal, C	ustom (105 x 148mm - 216 x 3	556mm)	
aper Input Capacity, maximum	850 sheets (with option		50 1 1 50 160 1	2 4/ 45 46 85 86 1	
utomatic Document Feeder	50 sheets, 50-160 g/n	n², A4 ,A5, B5 ,B6, Letter, Legal		n2, A4 ,A5, A6, B5 ,B6, Lette	er, Legal, Custom (100 x 14
			to 216 x 356 mm)		
ual Scan Document Feeder	N/A	N/A	Dual Scan Document	Feeder	
aper Output Capacity		down with paper full detection			
tandard Interfaces	USB 2.0 (Hi-Speed), USB 2.	SB Host Interface, Gigabit Ethern odels only)	et (10Base-T/ 100Base-TX/ 10	00Base-T), Slots for SD/SD	HC optional cards;
imensions (W x D x H)	Main unit: 417 x 412 x	437 mm			
lain Unit Weight	Approx 19 kg				
ower Supply	AC 220 ~ 240 V, 50/60	Hz;			
ower Consumption	Printing: 661W; Stand	by: 21W; Sleep: 1W			
loise Levels (ISO 7779/ISO 9296)		* * * * * * * * * * * * * * * * * * * *			
rinting	63.2 dB(A) LwAd		64.3 dB(A) LwAd		
tand-by	46 dB(A) LwAd				
leep	Immeasurably low				
afety Standards		luct has been manufactured by a	company operating in confo	mity with ISO 9001 Quality	Standards and ISO 1400
		ves; RoHs compatibility	company operating in come.	mity manies seel quality	, Stariaaras aria iso 1100:
EC	1.472 kWh/Week	ves, norts companionity	1.661 kWh/Week		1.739 kWh/Week
rinting Speed (A4 simplex/duplex) max.	35 ppm/ 17 ppm 300 dpi, 600 dpi, 1200		40 ppm / 20 ppm	- VDC	
mulations), KPDL 3 (PostScript 3 compatible		nxps	
Operating Systems Barcode Functions		operating systems, MAC OS X Ver			
	generation and suppo	6/KPDL3, 8 fonts for Windows Vis rt for PDF-417 two-dimensional b	arcodes (PCL and other barcod		
Protocols Supported		9100, NetBEUI, Apple Bonjour, IPI			
Mobile Printing Support	Olivetti Mobile Print, AirPrint®	Olivetti Mobile Print, AirPrint®, Wi-Fi,	Olivetti Mobile Print, AirPrint®	Olivetti Mobile Print, AirPrint®	Olivetti Mobile Print, AirPrint®, Wi-Fi,
		Wi-Fi Direct			Wi-Fi Direct
OPY FUNCTIONS	He to 25 and	Ha to 25 and	Ha to 70 and	Hata (Oana	Hata (Ones
opying Speed, maximum	Up to 35 ppm	Up to 35 ppm	Up to 40 ppm	Up to 40 ppm	Up to 40 ppm
lax Original Size	A4 /Legal				
eduction/Enlargement	7 Reducing/ 5 Enlarge	ment			
ontinuous Copying	1-999	-£10/			
oom	25 - 400 % with steps	01 1%			
xposure Mode	Manual 9 steps				
nage Adjustment	Text+Photo; Photo; M				
ther Features	One scan multi-copies selection, copy densit	s, electronic collation, 2in1, 4in1, y control	ID Card copying, job booking,	program, continuous scani	ning, automatic tray
CAN FUNCTIONS			in-to-SMBv3, Scan to USB Hos	st, TWAIN scan (USB, netw	ork), WSD (WIA) scan (US
CAN FUNCTIONS functionality		, Scan-to-FTP (FTP over SSL), Sco			
unctionality	Scan-to-email (SMTP) network)	, Scan-to-FTP (FTP over SSL), Sca			
unctionality canning Speed	network)				
unctionality canning Speed implex	network) 40 ipm (A4, Mono), 23	ipm (A4, Colour)	22 inm (A/ Mana) 45	nm (A/, Colour)	
unctionality canning Speed implex uplex	network) 40 ipm (A4, Mono), 23 N/A		32 ipm (A4, Mono), 16 i	pm (A4, Colour)	
unctionality canning Speed implex uplex canning Resolution	network) 40 ipm (A4, Mono), 23 N/A Max. 600 dpi	ipm (A4, Colour) N/A	32 ipm (A4, Mono), 16 i	pm (A4, Colour)	
unctionality canning Speed implex uplex canning Resolution lax Scan Size	network) 40 ipm (A4, Mono), 23 N/A Max. 600 dpi A4, Legal (with Autor	ipm (A4, Colour) N/A natic Document Feeder)		pm (A4, Colour)	
unctionality canning Speed implex uplex canning Resolution lax Scan Size riginal Recognition	network) 40 ipm (A4, Mono), 23 N/A Max. 600 dpi A4, Legal (with Autor Text + Photo, Photo, T	ipm (A4, Colour) N/A natic Document Feeder) ext, Light Text, Fine line, Text (fo	r OCR)	pm (A4, Colour)	
unctionality canning Speed implex uplex canning Resolution lax Scan Size riginal Recognition can File Formats	network) 40 ipm (A4, Mono), 23 N/A Max. 600 dpi A4, Legal (with Autor Text + Photo, Photo, T TIFF, PDF, PDF/A-1, hi	ipm (A4, Colour) N/A natic Document Feeder)	r OCR)	pm (A4, Colour)	
unctionality canning Speed implex uplex	network) 40 ipm (A4, Mono), 23 N/A Max. 600 dpi A4, Legal (with Autor Text + Photo, Photo, T TIFF, PDF, PDF/A-1, hi MMR/JPEG	ipm (A4, Colour) N/A natic Document Feeder) ext, Light Text, Fine line, Text (fo	r OCR) PDF, JPEG, XPS	pm (A4, Colour)	

TECHNICAL SPECIFICATIONS	d-Copia 3524MF	d-Copia 3524MFPLUS	d-Copia 4023MF	d-Copia 4024MF	d-Copia 4024MFPLUS
FAX FUNCTIONS					
Compatibility	ITU-T Super G3		N/A	ITU-T Super G3	
Modem Speed	Max. 33.6 kbps		N/A	Max. 33.6 kbps	
Transmission Speed	Under 3 secs		N/A	Under 3 secs	
Scanning Speed	2 secs/page or less		N/A	2 secs/page or less	
Fax Resolution	Normal 200x100 dpi, F	ine 200 x 200 dpi, Superfine 200 x		Normal 200 x 100 dpi,	Fine 200 x 200 dpi, Superfine
	400 dpi, Ultrafine 400	x 400 dpi	N/A	200 x 400 dpi, Ultrafin	e 400 x 400 dpi
Max Original Size	A4, Legal		N/A	A4, Legal	
Compression Method	JBIG, MMR, MR, MH		N/A	JBIG, MMR, MR, MH	
Address Book	200 entries		N/A	200 entries	
Other Features	Network faxing, duplex transmission and reception, N/A Network faxing, dupl transmission and reception polling transmission and rec				x transmission and reception ption polling
CONSUMABLES					
Toner (capacities according to ISO 19752)	Initial Toner capacity u		Toner Cartridge: (B1234 Initial Toner capacity u	4). Toner capacity up to 7,2 p to 3,600 A4 pages	00 A4 pages;
Maintenance Kit	Up to 100,000 (B1236)				
OPTIONS					
Paper Tray	PF-1100: (Max. 2 travs) 250 sheets 60 – 163 g/m ² , A4, A5, A6	. Letter, Legal, Custom (105 x 148mm - 216 x 356m	m) (B3415)
Memory Expansion	MD3-1024: 1.024 MB	, 250 5ccc5 00 255 g/m , /(1, /(5, /(0	, zecce, zegui, custom (105 X 1.0 210 X 550111	, (55.125)
UG-33 ThinPrint	ThinPrint Protocol sup	port module (B8403)			
USB IC Card Reader + Card Authentication Kit (B)		entication supported (B8237)			
PCL Barcode Flash 3.0		codes available (B4998)			

Performance relates to use of the product under optimal conditions. Right reserved to modify technical specifications. Registered trademarks are the property of their respective owners.

d-Copia 3524MF, d Copia 3524MF^{Plus}, d-Copia 4023MF, d-Copia 4024MF and d-Copia 4024MF^{Plus} are distributed by Olivetti S.p.A. (03/2017) - Code: 49566-00-w







